

2019 年

小山 未来恵, 池田 利恵：女子学生における最大舌圧と運動機能との関連：日本口腔保健学雑誌, 9(1) : 2-9, 2019.

荒川 武士, 煙山 翔子, 岡村 唯, 他：回復期リハビリテーション病棟入院時の栄養状態の実態と関連要因の検討：理学療法学, 46(5) : 360-365, 2019.

湯川 綾美, 山添 淳一, 和智（千北）さとみ, 他：認知症の舌癌患者に対し、周術期口腔機能管理を通して経口摂取支援を行った一症例：老年歯科医学, 34(2), 2019.

佐藤 裕二, 北川 昇, 七田 俊晴, 他：新たに医療保険に導入された口腔機能低下症の検査・管理の実施状況—実施件数, 必要時間および問題点—：老年歯科医学, 34(3) : 415-421, 2019.

伊與田 清美, 水谷 慎介, 奥 菜央理, 他：地域歯科診療所における自立高齢者の口腔機能低下症に関する実態調査：老年歯科医学, 34(3) : 406-414, 2019.

吉田 光由：誤嚥性肺炎予防を歯科の仕事としていくため：老年歯科医学, 34(3), 2019.

山田 志麻, 岩崎 正則, 角田 聰子, 他：在宅要支援・要介護者における舌圧と栄養素の摂取量の関連：口腔衛生学会雑誌, 69(4) : 189-197, 2019.

尾崎 研一郎：舌垂全摘術ならびに舌再建術を施行した患者に対する舌接触補助床の効果：日本補綴歯科学会誌, 11(4) : 407-410, 2019.

古玉 明日香, 野川 敏史, 岩田 航, 他：口腔機能低下症診断の各検査項目と口腔関連 QOL の関連：日本補綴歯科学会誌, 11(4) : 391-398, 2019.

坪川茉莉, 田上千沙子, 田上千沙子, 他：口唇閉鎖力・舌圧が口腔形態に与える影響についての検討 第一報 歯列模型の三次元データの応用：小児歯科学雑誌, 57(2) : 199, 2019.

Hara K, Tohara H, Kobayashi K, et al: Association between tongue muscle strength and masticatory muscle strength.: J Oral Rehabil, 46(2): 134-139, 2019.

Sakai K, Nakayama E, Tohara H, et al: Diagnostic Accuracy of Lip Force and Tongue Strength for Sarcopenic Dysphagia in Older Inpatients: A Cross-Sectional Observational Study.: Clin

Nutr, 38(1): 303-309, 2019.

Kaji A, Hashimoto Y, Kobayashi Y, et al: Sarcopenia is associated with tongue pressure in older patients with type 2 diabetes: A cross - sectional study of the KAMOGAWA - DM cohort study.: Geriatr Gerontol Int, 19(2): 153-158, 2019.

Taniguchi H, Matsuo K, Nakagawa K, et al: Decline in Tongue Pressure During Perioperative Period in Cancer Patients Without Oral Feeding.: Clin Nutr ESPEN, 29: 183-188, 2019.

Namiki C, Hara K, Tohara H, et al: Tongue-pressure resistance training improves tongue and suprathyroid muscle functions simultaneously.: Clin Interv Aging, 14: 601-608, 2019.

Takahashi M, Satoh Y: Effects of gum chewing training on oral function in normal adults: Part 1 investigation of perioral muscle pressure.: J Dent Sci, 14(1): 38-46, 2019.

Miyoshi S, Shigeishi H, Fukada E, et al: Association of Oral Function with Long-Term Participation in Community-Based Oral Exercise Programs in Older Japanese Women: A Cross-Sectional Study.: J Clin Med Res, 11(3): 165-170, 2019.

Nakagawa K, Matsuo K: Assessment of Oral Function and Proper Diet Level for Frail Elderly Individuals in Nursing Homes Using Chewing Training Food.: J Nutr Health Aging, 23(5): 483-489, 2019.

Kito N, Matsuo K, Ogawa K, et al: Positive Effects of “Textured Lunches” Gatherings and Oral Exercises Combined with Physical Exercises on Oral and Physical Function in Older Individuals: A Cluster Randomized Controlled Trial.: J Nutr Health Aging, 23(7): 669-676, 2019.

Chantaramanee A, Tohara H, Nakagawa K, et al: Association between echo intensity of the tongue and its thickness and function in elderly subjects.: journal of oral rehabilitation, 46(7): 634-639, 2019.

Yokoi A, Ekuni D, Yamanaka R, et al: Change in Tongue Pressure and the Related Factors After Esophagectomy: A Short-Term, Longitudinal Study.: Esophagus, 16(3):300-308, 2019.

Satake A, Kobayashi W, Tamura Y, at al: Effects of oral environment on frailty: particular relevance of tongue pressure.: Clin Interv Aging, 14: 1643-1648, 2019.

Hoyano K, Tsujihashi E, Nishio K, et al: Relationship between the nutritional state of elderly people in need of support or nursing care and jaw-opening force and tongue pressure.: J Phys Ther Sci, 31(10): 747–750, 2019.

Tashimo Y, Ihara Y, Yuasa K, et al: Acute Stage Longitudinal Change of Quality of Life from Pre- to 3 Months after Surgical Treatment in Head and Neck Cancer Patients.: Asian Pac J Cancer Prev, 20(10): 3129-3136, 2019.

Hasegawa Y, Horii N, Sakuramoto-Sadakane A, et al: Is a History of Falling Related to Oral Function? A Cross-Sectional Survey of Elderly Subjects in Rural Japan.: Int J Environ Res Public Health, 16(20): 3843, 2019.

Wakabayashi H, Takahashi R, Murakami T et al: The Prevalence and Prognosis of Sarcopenic Dysphagia in Patients Who Require Dysphagia Rehabilitation.: J Nutr Health Aging, 23(1): 84-88, 2019.

Morita K, Tsuka H, Kimura H, et al: Oral Function and Vertical Jump Height Among Healthy Older People in Japan.: Community Dent Health, 36(4): 275-279, 2019.