

2021 年

平田 文, 石坂 正大, 沢谷 洋平, 他: 地域在住の要支援・要介護高齢者における嚥下機能・栄養状態・身体機能の関連性: 日本老年医学会雑誌, 58(1): 134-142, 2021.

上田 貴之: チェアサイドで実践する! 口腔機能低下症への対応と栄養指導: 日本歯科評論, 940: 83-102, 2021.

山田 裕之, 田村 文誉, 菊谷 武: 遅発型の Pompe 病を発症した小児の構音障害に対して PLP を応用した一例: 障害者歯科, 42(1): 60-66, 2021.

小野 琢也, 爲数 哲司: 摂食嚥下障害患者の口腔内残留と口腔機能の関連ー舌による食塊の移送に着目をしてー: 国際医療福祉大学学会誌, 26(1): 36-46, 2021.

原 修一, 和田 裕子, 木村 里美, 他: 介護福祉施設における器質的・機能的口腔ケアが口腔機能に及ぼす影響: 九州保健福祉大学紀要, 22: 75-81, 2021.

藤井 海和子: 舌癌舌再建患者における周術期の舌圧の変化: 東京都病院経営本部臨床研究報告書, 2019: 193-199, 2021.

釘宮 嘉浩, 岩崎 正則, 小原 由紀, 他: 地域在住高齢者における口腔機能低下有訴者の口腔機能ー後期高齢者の質問票を構成する口腔機能関連項目を用いた検討ー: 日本老年医学会雑誌, 58(2): 245-254, 2021.

佐藤 豊展, 近藤 健男, 柴本 勇, 他: 舌挙上による舌骨上筋群の筋力強化訓練の検討: 日本摂食嚥下リハビリテーション学会雑誌, 25(1): 3-10, 2021.

新井 慎, 立石 雅子, 寺中 智, 他: 健常者における口腔立体認知一口腔知覚判定研究用キット DF8 を用いた検討ー: 日本摂食嚥下リハビリテーション学会雑誌, 25(1): 11-21, 2021.

福永 真哉, 矢野 実郎, 戸田 淳氏, 他: 認知症短期集中リハビリテーションによる認知機能, 意欲と摂食嚥下機能の変化: 川崎医療福祉学会誌, 30(2): 519-524, 2021.

齋岡 祥子, 高守 史子, 山下 佳雄: オーラルフレイルに対する自覚度合と口腔機能低下症の検査結果の相違に関する臨床的検討: 老年歯学, 36(1): 53-64, 2021.

大久保 真衣, 三浦 慶奈, 山本 将仁, 他: 「顎骨疾患プロジェクトからの情報発信」 15. 超音波エラストグラフィを用いた舌の硬さ, 厚さの解析 –舌の硬さは舌機能指標になりえるか? –: 歯科学報, 121(2): 91-98, 2021.

矢田 光絵, 山根 泰子, 森本 都, 他: 高齢者胃がん手術患者における呼吸器合併症に関する因子の検討~特に嚥下機能と舌圧について~: 学会誌 JSPEN, 3(3): 158-164, 2021.

栄本 一記, 中尾 雄太, 斎藤 翔太, 他: 亜急性期より実施した筋力増強訓練で嚥下機能が改善した皮膚筋炎の一例: 日本摂食嚥下リハビリテーション学会雑誌, 25(2): 129-134, 2021.

稻垣 沙緒里, 二本松 明: 老嚥に対して円皮鍼治療と舌抵抗運動を行った一症例: 全日本鍼灸学会雑誌, 71(3): 145-153, 2021.

柏崎 晴彦: 口腔機能低下症・味覚障害: 臨床透析, 37(9): 963-966, 2021.

重本 心平, 堀 一浩, 大川 純平, 他: 高齢入院患者における舌圧と栄養リスクおよび食形態との関係: 老年歯学, 36(2): 91-100, 2021.

牧原 勇介: 舌接触補助床により舌癌術後の嚥下・構音機能を改善した一症例: 日本補綴歯科学会誌, 13(4): 337-340, 2021.

佐藤 裕二, 古屋 純一, 畠中 幸子, 他: 口腔機能低下症の検査で起こりがちなミスとその対策: 老年歯学, 36(3): 263-268, 2021.

末永 智美, 會田 英紀, 山田 律子, 他: 介護保険施設を利用する高齢者の口腔機能低下の予測因子: 他職種が評価可能なリンシングと日常生活動作に焦点を当てて: 老年歯学, 36(3): 227-238, 2021.

田中 優成, 坪内 美穂子, 山縣 誉志江, 他: 舌でつぶせる硬さと舌圧の関連: 日本摂食嚥下リハビリテーション学会雑誌, 25(3): 169-181, 2021.

Morita K, Tsuka H, Kuremoto K, et al: Association between buccal mucosa ridging and oral feature/symptom and its effects on occlusal function among dentate young adults in a cross-sectional study of Japan.: Crano, 39(1): 24-28, 2021.

Takeuchi N, Sawada N, Ekuni D, et al: Oral diadochokinesis is related to decline in swallowing

function among community-dwelling Japanese elderly: a cross-sectional study.: Aging Clin Exp Res, 33(2): 399-405, 2021.

Kunieda K, Fujishima I, Wakabayashi H, et al: Relationship Between Tongue Pressure and Pharyngeal Function Assessed Using High-Resolution Manometry in Older Dysphagia Patients with Sarcopenia: A Pilot Study.: Dysphagia, 36(1): 33-40, 2021.

Yoshikawa M, Fukuoka T, Mori T, et al: Comparison of the Iowa Oral Performance Instrument and JMS tongue pressure measurement device.: J Dent Sci, 16(1): 214-219, 2021.

Horii N, Hasegawa Y, Sakuramoto-Sadakane A, et al: Validity of a dysphagia screening test following resection for head and neck cancer.: Ir J Med Sci, 190(1): 67-77, 2021.

Arakawa I, Igarashi K, Imamura Y, et al: Variability in tongue pressure among elderly and young healthy cohorts: A systematic review and meta-analysis.: J Oral Rehabil, 48(4): 430-448, 2021.

Mori T, Wakabayashi H, Ogawa N, et al: The Mass of Geniohyoid Muscle Is Associated with Maximum Tongue Pressure and Tongue Area in Patients with Sarcopenic Dysphagia.: J Nutr Health Aging, 25(3): 356-360, 2021.

Matsubara C, Shirobe M, Furuya J, et al: Effect of oral health intervention on cognitive decline in community-dwelling older adults: A randomized controlled trial.: Arch Gerontol Geriat, 92: 1-11, 2021.

Miura K, Ohkubo M, Sugiyama T, et al: Determination of the Relationships Between intra- and Extraoral Tongue Hardness, Thickness, and Pressure Using Ultrasonic Elastography.: Dysphagia, 36(4): 623-634, 2021.

Yoshikawa M, Nagakawa K, Tanaka R, et al: Improper sitting posture while eating adversely affects maximum tongue pressure.: J Dent Sci, 16(1): 467-473, 2021.

Nakamori M, Hosomi N, Imamura E, et al: Association between stroke lesions and videofluoroscopic findings in acute stroke patients.: J Neurol, 268(3): 1025-1035, 2021.

Yano J, Nagami S, Yokoyama T, et al: Effects of Tongue-Strengthening Self-Exercises in Healthy Older Adults: A Non-Randomized Controlled Trial.: Dysphagia, 36(5): 925-935,

2021.

Ogawa N, Wakabayashi H, Mori T, et al: Digastric muscle mass and intensity in older patients with sarcopenic dysphagia by ultrasonography.: Geriatr Gerontol Int, 21(1): 14-19, 2021.

Nagashima K, Kikutani T, Miyashita T, et al: Tongue muscle strength affects posterior pharyngeal wall advancement during swallowing: A cross-sectional study of outpatients with dysphagia.: J Oral Rehabil, 48(2): 169-175, 2021.

Shimizu A, Maeda K, Nagami S, et al: Low tongue strength is associated with oral and cough-related abnormalities in older inpatients.: Nutrition, 83: 1-6, 2021.

Miyoshi S, Saito A, Shigeishi H, et al: Relationship between oral and physical function and length of participation in long-term care prevention programs in community-dwelling older Japanese women.: Eur Geriatr Med, 12(2): 387-395, 2021.

Morishita M, Ikeda T, Saito N, et al: Relationship between oral function and life-space mobility or social networks in community-dwelling older people: A cross-sectional study.: Clin Exp Dent Res, 7(4): 552-560, 2021.

Fujikawa N, Ogino Y, Koga S, et al: Validation of masticatory function and related factors in maxillectomy patients based on the concept of "oral hypofunction": A retrospective cross-sectional study.: J Prosthodont Res, 65(4): 449-454, 2021.

Okazaki T, Suzukamo Y, Miyatake M, et al: Respiratory Muscle Weakness as a Risk Factor for Pneumonia in Older People.: Gerontology, 67(5): 581-590, 2021.

Kochi I, Takei E, Maeda R, et al: Changes of bolus properties and the triggering of swallowing in healthy humans.: J Oral Rehabil, 48(5): 592-600, 2021.

Tashiro K, Soutome S, Funahara M, et al: The Relationship between Dental Findings and Tongue Pressure: A Survey of 745 Community-Dwelling Adults and Elderly Persons in Japan.: Gerontology, 67(5): 517-524, 2021.

Iwasaki M, Watanabe Y, Motokawa K, et al: Oral frailty and gait performance in community-dwelling older adults: findings from the Takashimadaira study.: J Prosthodont Res, 65(4): 467-473, 2021.

Kuroki A: Factors Related to Normal Diet Feeding for the Dependent Elderly: 広島大学歯学雑誌, 53(1): 11-15, 2021.

Ogino Y, Fujikawa N, Koga S, et al: A retrospective cross-sectional analysis of swallowing and tongue functions in maxillectomy patients.: Support Care Cancer, 29(10): 6079-6085, 2021.

Komatsu R, Nagai K, Hasegawa Y, et al: Association between Physical Frailty Subdomains and Oral Frailty in Community-Dwelling Older Adults.: Int J Environ Res Public Health, 18(6): 1-9, 2021.

Shimizu A, Maeda K, Wakabayashi H, et al: Sarcopenic Dysphagia with Low Tongue Pressure Is Associated with Worsening of Swallowing, Nutritional Status, and Activities of Daily Living.: J Nutr Health Aging, 25(7): 883-888, 2021.

Liu HY, Chen CH, Kuo CH, et al: A Novel Tongue Pressure Measurement Instrument with Wireless Mobile Application Control Function and Disposable Positioning Mouthpiece.: Diagnostics (Basel), 11(3): 1-11, 2021.

Izumi M, Sonoki K, Ohta Y, et al: Tongue cleaning maintains respiratory function in older individuals: A 1-year randomised controlled trial.: J Oral Rehabil, 48(6): 730-737, 2021.

Nakamura M, Hamada T, Tanaka A, et al: Association of Oral Hypofunction with Frailty, Sarcopenia, and Mild Cognitive Impairment: A Cross-Sectional Study of Community-Dwelling Japanese Older Adults.: J Clin Med, 10(8): 1-12, 2021.

Umemoto G, Fujioka S, Iwasa Y, et al: Impact of Progression of Parkinson's Disease on Swallowing Ability and Oral Environment.: Parkinsons Dis.: 2021: 1-6, 2021.

Shimizu A, Fujishima I, Maeda K, et al: Effect of low tongue pressure on nutritional status and improvement of swallowing function in patients with sarcopenic dysphagia.: Nutrition, 90, 2021.

Nakao Y, Uchiyama Y, Honda K, et al: Age-related composition changes in swallowing-related muscles: a Dixon MRI study.: Aging Clinical and Experimental Research, 33: 3205-3213, 2021.

Kugimiya Y, Oki T, Ohta M, et al: Distribution of lip-seal strength and its relation to oral

motor functions.: Clin Exp Dent Res, 7(6): 1122-1130, 2021.

Hidaka R, Furuya J, Nishiyama A, et al: Structural Equation Modeling of Tongue Function and Tongue Hygiene in Acute Stroke Patients.: Int J Environ Res Public Health, 18(9): 1-9, 2021.

Sugiya R, Higashimoto Y, Shiraishi M, et al: Decreased Tongue Strength is Related to Skeletal Muscle Mass in COPD Patients.: Dysphagia, 2021.

Fujiwara S, Hori K, Shitara S, et al: Effect of hard gummy candy chewing on masticatory function.: J Oral Rehabil, 48(8): 909-915, 2021.

Nakamori M, Ishikawa K, Imamura E, et al: Relationship between tongue pressure and dysphagia diet in patients with acute stroke.: PLoS One, 16(6): 1-11, 2021.

Kim S, Doh RM, Yoo L, et al: Assessment of Age-Related Changes on Masticatory Function in a Population with Normal Dentition.: Int J Environ Res Public Health, 18(13): 1-18, 2021.

Kugimiya Y, Iwasaki M, Ohara Y, et al: Relationship between Oral Hypofunction and Sarcopenia in Community-Dwelling Older Adults: The Otassha Study.: Int J Environ Res Public Health, 18(12): 1-12, 2021.

Shirobe M, Watanabe Y, Tanaka T, et al: Effect of an Oral Frailty Measures Program on Community-Dwelling Elderly People: A Cluster-Randomized Controlled Trial.: Gerontology, 2021.

Mizutani S, Egashira R, Yamaguchi M, et al: Changes in oral and cognitive functions among older Japanese dental outpatients: A 2-year follow-up study.: J Oral Rehabil, 48(10): 1150-1159, 2021.

Imamura Y, Chebib N, Ohta M, et al: Validation of a novel diagnostic tool for decreased tongue pressure.: J Oral Rehabil, 48(11): 1219-1225, 2021.

Sadakane-Sakuramoto A, Hasegawa Y, Sugahara K, et al: Change in Nutritional Status and Dysphagia after Resection of Head and Neck Cancer.: Nutrients, 13(7): 1-12, 2021.

Matsuda Y, Okui T, Karino M, et al: Postoperative oral dysfunction following oral cancer resection and reconstruction: A preliminary cross-sectional study.: Oral Oncol, 121: 1-8, 2021.

Shimizu A, Fujishima I, Maeda K, et al: Delayed Dysphagia May Be Sarcopenic Dysphagia in Patients After Stroke.: *J Am Med Dir Assoc*, 22(12): 2527-2533, 2021.

Umemoto G, Fujioka S, Arahata H, et al: Longitudinal Changes of Tongue Thickness and Tongue Pressure in Neuromuscular Disorders.: *BMC Neurol*, 21(1): 1-7, 2021.

Ihara Y, Tashimo Y, Nozue S, et al: Changes in Oral Function and Quality of Life in Tongue Cancer Patients Based on Resected Area.: *Asian Pac J Cancer Prev*, 22(8): 2549-2557, 2021.

Yamaguchi K, Nakagawa K, Yoshimi K, et al: Age-related changes in swallowing muscle intramuscular adipose tissue deposition and related factors.: *Exp Gerontol*, 153: 1-6, 2021.

Onuki W, Magara J, Tsujimura T, et al: Survey of oral hypofunction in older outpatients at a dental hospital.: *J Oral Rehabil*, 48(10): 1173-1182, 2021.

Ogino Y, Suzuki H, Ayukawa Y, et al: Analyses of Swallowing Function and Its Related Factors in Community-Dwelling Elderly Patients: A Case-Control Study.: *J Clin Med*, 10(15): 1-9, 2021.

Iyota K, Mizutani S, Kishimoto H, et al: Effect of Isometric Tongue Lifting Exercise on Oral Function, Physical Function, and Body Composition in Community-Dwelling Older Individuals: A Pilot Study.: *Gerontology*: 1-11, 2021.

Hara N, Nakamori M, Ayukawa T, et al: Characteristics and Prognostic Factors of Swallowing Dysfunction in Patients with Lateral Medullary Infarction.: *J Stroke Cerebrovasc Dis*, 30(12): 1-8, 2021.

Ogino Y, Suzuki H, Ayukawa Y, et al: Masticatory performance and other oral functions in community-dwelling elderly patients without posterior occlusal support by natural teeth.: *J Oral Sci*, 63(4): 330-333, 2021.

Izumita K, Hisaoka T, Ikeda R, et al: Changes in tongue pressure and dysphagia at oral cancer patients by palatal augmentation prosthesis.: *Cancer Rep (Hoboken)*: 1-8, 2021.

Guo R, Hama Y, Hosoda A, et al: Age and sex differences in oral functions from junior high school to young adulthood: A cross - sectional study.: *J Oral Rehabil*, 48(12): 1373-1379,

2021.

Nakao Y, Uchiyama Y, Honda K, et al: Tongue pressure waveform analysis for ascertaining the influence of tongue muscle composition on articulation.: *J Oral Rehabil*, 48(12): 1347-1353, 2021.

Hatanaka Y, Furuya J, Sato Y, et al: Associations between Oral Hypofunction Tests, Age, and Sex.: *Int J Environ Res Public Health*, 18(19): 1-10, 2021.

Sawada N, Takeuchi N, Ekuni D, et al: Oral function, nutritional status and physical status in Japanese independent older adults.: *Gerodontology*, 2021.

Hasegawa Y, Tsuji S, Nagai K, et al: The relationship between bone density and the oral function in older adults: a cross-sectional observational study.: *BMC Geriatr*, 21(1): 1-10, 2021.

Fujita Y, Ohno Y, Ohno K, et al: Differences in the factors associated with tongue pressure between children with class I and Class II malocclusions.: *BMC Pediatr*, 21(1): 1-9, 2021.

Schimmel M, Domioni T, Bukvic H, et al: Oral diadochokinesis and associated oro-facial function in young and old German mother-tongue speakers: A cross-sectional study.: *Gerodontology*, 39(1): 33-40, 2021.

Nishi T, Ohta M, Takano T, et al: Oral function is associated with the body and muscle mass indices of middle-aged dental patients.: *Clin Exp Dent Res*: 1-8, 2021.

Kato Y, Kikutani T, Sagawa K, et al: Association between masticatory movement and oral and physical function in healthy older women.: *J Prosthodont Res*, 2021.

Morisaki N: Relationship Between Tongue Strength and Dysphagia Symptoms in Japanese Older Adults in Need of Care.: *J Health Care and Research*, 2(3): 170-175, 2021.

Chen HH, Lin PY, Lin CK, et al: Effects of oral exercise on tongue pressure in Taiwanese older adults in community day care centers.: *J Dent Sci*, 17(1): 338-344, 2021.

Ki JY, Jo SR, Cho KS, et al: Effect of Oral Health Education Using a Mobile App (OHEMA) on the Oral Health and Swallowing-Related Quality of Life in Community-Based Integrated Care of the Elderly: A Randomized Clinical Trial.: *Int J Environ Res Public Health*, 18(21):

1-13, 2021.

Suzuki H, Furuya J, Hidaka R, et al: Patients with mild cognitive impairment diagnosed at dementia clinic display decreased maximum occlusal force: a cross-sectional study.: BMC Oral Health, 21(1): 1-9, 2021.

Murotani Y, Hatta K, Takahashi T, et al: Oral Functions Are Associated with Muscle Strength and Physical Performance in Old-Old Japanese.: Int J Environ Res Public Health, 18(24): 1-8, 2021.

Toshiaki Tamura, Yasuhiro Tanaka, Yoshihiro Watanabe, et al: Relationships between maximum tongue pressure and second formant transition in speakers with different types of dysarthria.: PLOS ONE 17(3): e0264995.